



Single Family Site-Built Residential
Weatherization Incentives
(Electrically Heated Homes)

1.	<p>Install attic insulation to R-49. Attic insulation must be installed in substantial compliance with WeatherWise specifications for site built homes (other attic improvements may be required to qualify for rebate)</p> <p>Existing Less than R-11 Existing R-11 to R-19 Existing R-19 to R-38</p>	<p>\$0.85 per sq-ft \$0.26 per sq-ft \$0.05 per sq-ft</p>
2.	<p>Install attic insulation to R-38. Attic insulation must be installed in substantial compliance with WeatherWise specifications for site built homes (other attic improvements may be required to qualify for rebate)</p> <p>Existing Less than R-11 Existing R-11 to R-19</p>	<p>\$0.80 per sq-ft \$0.21 per sq-ft</p>
3.	<p>Install attic insulation to R-19. Attic insulation must be installed in substantial compliance with WeatherWise specifications for site built homes (other attic improvements may be required to qualify for rebate)</p> <p>Existing Less than R-11</p>	<p>\$0.59 per sq-ft</p>
4.	<p>Install floor insulation to fill joist cavity. Existing floor insulation must be less than R-11. Floor insulation must be installed in substantial compliance with WeatherWise specifications for site built homes (other crawl space improvements may be required to qualify for rebate)</p> <p>Insulate to R-19 Insulate to R-30</p>	<p>\$0.65 per sq-ft \$0.77 per sq-ft</p>
5.	<p>Install wall insulation to R-11. No existing wall insulation may be present. Wall insulation must be installed in substantial compliance with WeatherWise specifications for site built homes. Work must be performed by licensed contractor.</p>	<p>\$0.61 per sq-ft</p>

(continued on back)

Site-built and Manufactured Homes

6.	Upgrade windows. Existing windows must be single pane, any frame type or double pane, metal frame type. The weighted average of replacement windows must have a National Fenestration Rating Council (NFRC) of 0.30 or less for windows; 0.35 or less for patio doors. Requirements applicable to items #2 and #4 above must already have been met.	\$6.00 per sq-ft
7.	Upgrade windows. Existing windows must be single pane, any frame type or double pane, metal frame type. The weighted average of replacement windows must have a National Fenestration Rating Council (NFRC) of 0.22 or less for windows; 0.30 or less for patio doors. Requirements applicable to items #2 and #4 above must already have been met.	\$8.00 per sq-ft
8.	Insulated exterior doors (available for existing single-family or manufactured homes). The door must replace an un-insulated exterior door, be a pre-hung ENERGY STAR qualified door and include replacement of the threshold.	\$40 per door
9.	Whole House Air sealing (available for all existing manufactured homes and for single-family homes built during or prior to 1982). Reduction in air leakage. Change in air exchange rate must be verified through pre and post measurement of infiltration/exfiltration using blower door. Work must be performed by a certified technician and meet requirements in Section 14 of the 2014 BPA Residential Weatherization Specifications.	\$0.56 per CFM reduction \$400 max* (Site-built) \$0.50 per CFM reduction \$300 max* (Manufactured)
10.	Prescriptive Air Sealing (available for existing single-family homes). Must be done according to checklists found in sections 4.2 and 6.2 of the 2014 BPA Residential Weatherization Specifications.	\$.08/sq-ft
11	PTCS Duct Sealing. <u>Existing single-family homes</u> with duct work outside the conditioned space. Work requires PTCS certification, and must follow the current PTCS Duct Technical Specifications. Pre-existing duct leakage to the outside must be greater than 250 CFM ₅₀ or 15 percent of the floor area whichever is less. <u>Manufactured homes:</u> Pre-existing duct leakage to the outside must be greater than 100 CFM ₅₀ for single-wide homes or 75 CFM ₅₀ leakage per section for multi-section homes. Work must be performed by certified technician.	\$250* (Existing single-family) \$200*(Manufactured)
12	Prescriptive Duct Sealing (available for existing single-family and manufactured homes). Work must be performed by technician certified in Prescriptive Duct Sealing, and be certified in PDS on the PTCS online registry. Technician must follow BPA's current Prescriptive Duct Sealing Specification.	\$250* (Existing single-family) \$200* (Manufactured)

*** Incentive amount may not exceed cost of measure.**